

# UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/924,259	08/07/2001	Daniel Lyakovetsky	MM4459	4902
7590 01/12/2006			EXAMINER	
CHARLES N J RUGGIERO ESQ OHLANDT GREELEY RUGGIERO & PERLE LLP ONE LANDMARK SQUARE 10th FLOOR STAMFORD, CT 06901-2682			LY, ANH	
			ART UNIT	PAPER NUMBER
			2162	
			DATE MAILED: 01/12/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
	09/924,259	LYAKOVETSKY ET AL.
Office Action Summary	Examiner	Art Unit
	Anh Ly	2162
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION  16(a). In no event, however, may a reply be tim  ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
<ul> <li>1) ⊠ Responsive to communication(s) filed on 21 Oc</li> <li>2a) ⊠ This action is FINAL. 2b) □ This</li> <li>3) □ Since this application is in condition for allowant closed in accordance with the practice under E</li> </ul>	action is non-final. ace except for formal matters, pro	
Disposition of Claims		
<ul> <li>4)  Claim(s) 1-3,6,7 and 9-33 is/are pending in the 4a) Of the above claim(s) 5 and 8 is/are withdra</li> <li>5)  Claim(s) is/are allowed.</li> <li>6)  Claim(s) 1-3,6-7,9-33 is/are rejected.</li> <li>7)  Claim(s) is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or</li> </ul>	wn from consideration.	
Application Papers		
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acceedable and applicant may not request that any objection to the or	epted or b) objected to by the lidrawing(s) be held in abeyance. See	e 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correcting 11) The oath or declaration is objected to by the Ex	· - · · · ·	•
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Applicati ity documents have been receive I (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	

Application/Control Number: 09/924,259 Page 2

Art Unit: 2162

## **DETAILED ACTION**

1. This Office Action is response to Applicants' RESPONSE filed on 10/21/2005.

2. Claims 1-3, 6-7 & 9-33 are pending in this application.

## Response to Arguments

- 3. Applicant's arguments filed 10/21/2005 have been fully considered but they are not persuasive.
- 4. Applicant argued that, "Guyan et al. does not disclose identifying an event, where a response to the event is performed by a human operator." (Page 3, lines 10-14).

Guyan et al. teaches dictate events to be raised based on the data. This is performed by a user who input data, and a user is a human operator (abstract, lines 15-22).

## Claim Rejections - 35 USC § 103 ·

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was

not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

7. Claims 1-3, 6-7 and 9-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent No. 6,549,216 issued to Schumacher et al. (hereinafter Schumacher) in view of Pub. No.: US 20030154172 A1 of Guyan et al. (hereinafter Guyan).

With respect to claim 1, Schumacher teaches a task is being accomplished to revise an entrain a database of file records (the occurrence of the events that result from user interaction are to be detected and identified are stored in a file: col. 4, lines 20-32 and col. 7, lines 15-20; also see col. 1, lines 7-15 and abstract);

recording in memory, a response to said event, a graphical user interface of a computer to form one or more emulated responses to said event, wherein said one or more emulated responses (the events are recorded via GUI and events are emulated as a sequence of events with the user interaction sequence: col. 2, lines 14-62, col. 4, lines 60-67 and col. 1-57);

selecting a batch of file records that require said task to be performed to execute changes and/or revisions from a database of file records (selecting event from GUI as shown in fig. 2, col. 5, lines 20-57, abstract and col. 2, lines 18-42 and col. 4, lines 60-67 and col. 5, lines 1-15);

loading a specified task into a computer (recoded event would be retrieved via the loader button if fig. 2, item 216: col. col. 5, lines 45-50 and fig. 2); and

executing said task on said selected batch of file records by matching a member of a given event (executing the selected events or files with the options shown on fig.2: col. 6, lines 15-35 and col. 5, lines 20-35 and lines 67-67).

Schumatcher teaches a GUI-oriented system like windows for processing an emulated sequence of events via user interaction for recoding, selecting, loading, executing and identifying an event with its responses from the stored even file (see abstract and col. 2, lines 14-62), detecting the occurrence of the event such as a clicking on the button with the mouse and response to the event. Schumatcher teaches event handling as a way of detecting and processing user input such as mouse clicks and key presses and iconifying windows (col. 1, lines 52-55). Schumatcher does not explicitly teach identifying an occurrence of an event that occurs while a task is being accomplished to revise an entry in a database of file records and repeating said identifying and said recording to form a collection of emulated event handlers corresponding to events that may occur during said task.

However, Guyan teaches identifying events that occurs in the life of a claim (sections 1304, 1641 and 1643, also see fig. 14); event handlers for the appropriate event (section 0171, 0173 and 0190); collection of event such as claims or tasks (section 0231); and making the tentative changes of the objects (sections 0242, 0322 and 1589).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Schumatcher with the teachings of Guyan, wherein the control unit provided therein (Schumatcher's fig. 15

and fig. 21), would incorporate the use stored events and the event queue waiting for response from the user, in the same conventional manner as discussed by Guyan (sections 1304, fig. 14, sections 0171 and 0242). The motivation being to reduce the operator responses, eliminate the unnecessary actions and reduce the overhead in servicing response recording in the memory.

With respect to claim 2, Schumatcher teaches a process for automatically revising data as discussed in claim 1.

Schumatcher teaches a GUI-oriented system like windows for processing an emulated sequence of events via user interaction for recoding, selecting, loading, executing and identifying an event with its responses from the stored even file (see abstract and col. 2, lines 14-62), detecting the occurrence of the event such as a clicking on the button with the mouse and response to the event. Schumatcher teaches event handling as a way of detecting and processing user input such as mouse clicks and key presses and iconifying windows (col. 1, lines 52-55). Schumatcher does not explicitly teach collection of emulated event handlers until an event occurs that indicates that said task is completed.

However, Guyan teaches handling claim processing (event/task) until the task is complete (sections 0122, 0125 and 0127-128).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Schumatcher with the teachings of Guyan, wherein the control unit provided therein (Schumatcher's fig. 15 and fig. 21), would incorporate the use stored events and the event queue waiting for

response from the user, in the same conventional manner as discussed by Guyan (sections 1304, fig. 14, sections 0171 and 0242). The motivation being to reduce the operator responses, eliminate the unnecessary actions and reduce the overhead in servicing response recording in the memory.

With respect to claim 3, Schumatcher teaches a process for automatically revising data as discussed in claim 1.

Schumatcher teaches a GUI-oriented system like windows for processing an emulated sequence of events via user interaction for recoding, selecting, loading, executing and identifying an event with its responses from the stored even file (see abstract and col. 2, lines 14-62), detecting the occurrence of the event such as a clicking on the button with the mouse and response to the event. Schumatcher teaches event handling as a way of detecting and processing user input such as mouse clicks and key presses and iconifying windows (col. 1, lines 52-55). Schumatcher does not explicitly teach collection of emulated event handlers until an event occurs that indicates that said task is completed.

However, Guyan teaches handling the events task deemed unsuccessful (section 1599).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Schumatcher with the teachings of Guyan, wherein the control unit provided therein (Schumatcher's fig. 15 and fig. 21), would incorporate the use stored events and the event queue waiting for response from the user, in the same conventional manner as discussed by Guyan

(sections 1304, fig. 14, sections 0171 and 0242). The motivation being to reduce the operator responses, eliminate the unnecessary actions and reduce the overhead in servicing response recording in the memory.

With respect to claim 6-7 and 9-10, Schumatcher teaches a process for automatically revising data as discussed in claim 1.

Schumatcher teaches a GUI-oriented system like windows for processing an emulated sequence of events via user interaction for recoding, selecting, loading, executing and identifying an event with its responses from the stored even file (see abstract and col. 2, lines 14-62). Schumatcher teaches event handling as a way of detecting and processing user input such as mouse clicks and key presses and iconifying windows (col. 1, lines 52-55). Schumatcher does not explicitly teach avoid an unnecessary step, to include a variable as a substitute for a fixed value; a plurality of emulated event handlers for handling a plurality of events that may occurs during said task and obtains values for said variable from said file records when handling said event.

However, Guyan teaches avoiding unnecessary step (sections 0093, 0096 and 0166); substitution value (section 0050); handler event for a plurality of events (section 0231); and replacing the value (section 0050).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Schumatcher with the teachings of Guyan, wherein the control unit provided therein (Schumatcher's fig. 15 and fig. 21), would incorporate the use stored events and the event queue waiting for

response from the user, in the same conventional manner as discussed by Guyan (sections 1304, fig. 14, sections 0171 and 0242). The motivation being to reduce the operator responses, eliminate the unnecessary actions and reduce the overhead in servicing response recording in the memory.

With respect to claim 11, Schumatcher teaches a task is being accomplished to revise a file record (the occurrence of the events that result from user interaction are to be detected and identified are stored in a file: col. 4, lines 20-32 and col. 7, lines 15-20; also see col. 1, lines 7-15 and abstract); and

recording in a memory, a response to said event with a graphical user interface (the events are recorded via GUI and events are emulated as a sequence of events with the user interaction sequence: col. 2, lines 14-62, col. 4, lines 60-67 and col. 1-57).

Schumatcher teaches a GUI-oriented system like windows for processing an emulated sequence of events via user interaction for recoding, selecting, loading, executing and identifying an event with its responses from the stored even file (see abstract and col. 2, lines 14-62), detecting the occurrence of the event such as a clicking on the button with the mouse and response to the event. Schumatcher teaches event handling as a way of detecting and processing user input such as mouse clicks and key presses and iconifying windows (col. 1, lines 52-55). Schumatcher does not explicitly teach identifying an occurrence of an event that occurs while a task is being accomplished to revise an entry in a database of file records and storing said response in an emulated event handler.

However, Guyan teaches identifying events that occurs in the life of a claim (sections 1304, 1641 and 1643, also see fig. 14); event handlers for the appropriate event (abstract and sections 0016, 0171, 0173 and 0190) and collection of event such as claims or tasks (section 0231) and making the tentative changes of the objects (sections 0242, 0322 and 1589).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Schumatcher with the teachings of Guyan, wherein the control unit provided therein (Schumatcher's fig. 15 and fig. 21), would incorporate the use stored events and the event queue waiting for response from the user, in the same conventional manner as discussed by Guyan (sections 1304, fig. 14, sections 0171 and 0242). The motivation being to reduce the operator responses, eliminate the unnecessary actions and reduce the overhead in servicing response recording in the memory.

With respect to claims 12-15, Schumatcher teaches a method as discussed in claim 11. Also Schumatcher teaches accessing the event record (col. 3, lines 65-67, col. 4, lines 1-10 and col. 7, lines 20-35).

Schumatcher teaches a GUI-oriented system like windows for processing an emulated sequence of events via user interaction for recoding, selecting, loading, executing and identifying an event with its responses from the stored even file (see abstract and col. 2, lines 14-62), detecting the occurrence of the event such as a clicking on the button with the mouse and response to the event. Schumatcher teaches event handling as a way of detecting and processing user input such as mouse clicks

and key presses and iconifying windows (col. 1, lines 52-55). Schumatcher does not clearly teach emulated event handler to handle said event for said obtained record, storing for a plurality of events that occur while accomplishing said task, task for said obtained record is completed.

However, Guyan teaches identifying events that occurs in the life of a claim (sections 1304, 1641 and 1643, also see fig. 14); event handlers for the appropriate event (abstract and sections 0016, 0171, 0173 and 0190) and collection of event such as claims or tasks (section 0231) and making the tentative changes of the objects (sections 0242, 0322 and 1589).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Schumatcher with the teachings of Guyan, wherein the control unit provided therein (Schumatcher's fig. 15 and fig. 21), would incorporate the use stored events and the event queue waiting for response from the user, in the same conventional manner as discussed by Guyan (sections 1304, fig. 14, sections 0171 and 0242). The motivation being to reduce the operator responses, eliminate the unnecessary actions and reduce the overhead in servicing response recording in the memory.

Claim 16 is essentially the same as claim 11 except that it is directed to a system rather than a method, and is rejected for the same reason as applied to the claim 11 hereinabove.

Claim 17 is essentially the same as claim 12 except that it is directed to a system rather than a method, and is rejected for the same reason as applied to the claim 12 hereinabove.

Claim 18 is essentially the same as claim 13 except that it is directed to a system rather than a method, and is rejected for the same reason as applied to the claim 13 hereinabove.

Claim 19 is essentially the same as claim 14 except that it is directed to a system rather than a method, and is rejected for the same reason as applied to the claim 14 hereinabove.

Claim 20 is essentially the same as claim 15 except that it is directed to a system rather than a method, and is rejected for the same reason as applied to the claim 15 hereinabove.

Claim 21 is essentially the same as claim 11 except that it is directed to a program rather than a method, and is rejected for the same reason as applied to the claim 11 hereinabove.

Claim 22 is essentially the same as claim 12 except that it is directed to a program rather than a method, and is rejected for the same reason as applied to the claim 12 hereinabove.

Claim 23 is essentially the same as claim 13 except that it is directed to a program rather than a method, and is rejected for the same reason as applied to the claim 13 hereinabove.

Claim 24 is essentially the same as claim 14 except that it is directed to a program rather than a method, and is rejected for the same reason as applied to the claim 14 hereinabove.

Claim 25 is essentially the same as claim 15 except that it is directed to a program rather than a method, and is rejected for the same reason as applied to the claim 15 hereinabove.

With respect to claim 26, Schumatcher teaches a process for automatically revising data as discussed in claim 1.

Schumatcher teaches a GUI-oriented system like windows for processing an emulated sequence of events via user interaction for recoding, selecting, loading, executing and identifying an event with its responses from the stored even file (see abstract and col. 2, lines 14-62), detecting the occurrence of the event such as a clicking on the button with the mouse and response to the event. Schumatcher teaches event handling as a way of detecting and processing user input such as mouse clicks and key presses and iconifying windows (col. 1, lines 52-55). Schumatcher does not wherein said event comprises a message that requires said human operator to determine an appropriate action.

However, Guyan teaches an appropriate action/event (sections 0171 and 0284).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Schumatcher with the teachings of Guyan, wherein the control unit provided therein (Schumatcher's fig. 15 and fig. 21), would incorporate the use stored events and the event queue waiting for

response from the user, in the same conventional manner as discussed by Guyan (sections 1304, fig. 14, sections 0171 and 0242). The motivation being to reduce the operator responses, eliminate the unnecessary actions and reduce the overhead in servicing response recording in the memory.

With respect to claim 27, Schumatcher teaches a process for automatically revising data as discussed in claim 1.

Schumatcher teaches a GUI-oriented system like windows for processing an emulated sequence of events via user interaction for recoding, selecting, loading, executing and identifying an event with its responses from the stored even file (see abstract and col. 2, lines 14-62), detecting the occurrence of the event such as a clicking on the button with the mouse and response to the event. Schumatcher teaches event handling as a way of detecting and processing user input such as mouse clicks and key presses and iconifying windows (col. 1, lines 52-55). Schumatcher does not clearly teach wherein said event comprises a message that requires said human operator to provide information to revise said entry.

However, Guyan teaches making changes the records (sections 0322, 0959, 0973 and 1426).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Schumatcher with the teachings of Guyan, wherein the control unit provided therein (Schumatcher's fig. 15 and fig. 21), would incorporate the use stored events and the event queue waiting for response from the user, in the same conventional manner as discussed by Guyan

(sections 1304, fig. 14, sections 0171 and 0242). The motivation being to reduce the operator responses, eliminate the unnecessary actions and reduce the overhead in servicing response recording in the memory.

With respect to claim 28, Schumatcher teaches a method as discussed in claim 11.

Schumatcher teaches a GUI-oriented system like windows for processing an emulated sequence of events via user interaction for recoding, selecting, loading, executing and identifying an event with its responses from the stored even file (see abstract and col. 2, lines 14-62), detecting the occurrence of the event such as a clicking on the button with the mouse and response to the event. Schumatcher teaches event handling as a way of detecting and processing user input such as mouse clicks and key presses and iconifying windows (col. 1, lines 52-55). Schumatcher does not wherein said event comprises a message that requires said human operator to determine an appropriate action.

However, Guyan teaches an appropriate action/event (sections 0171 and 0284).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Schumatcher with the teachings of Guyan, wherein the control unit provided therein (Schumatcher's fig. 15 and fig. 21), would incorporate the use stored events and the event queue waiting for response from the user, in the same conventional manner as discussed by Guyan (sections 1304, fig. 14, sections 0171 and 0242). The motivation being to reduce the

operator responses, eliminate the unnecessary actions and reduce the overhead in servicing response recording in the memory.

With respect to claim 29, Schumatcher teaches a method as discussed in claim 11.

Schumatcher teaches a GUI-oriented system like windows for processing an emulated sequence of events via user interaction for recoding, selecting, loading, executing and identifying an event with its responses from the stored even file (see abstract and col. 2, lines 14-62), detecting the occurrence of the event such as a clicking on the button with the mouse and response to the event. Schumatcher teaches event handling as a way of detecting and processing user input such as mouse clicks and key presses and iconifying windows (col. 1, lines 52-55). Schumatcher does not clearly teach wherein said event comprises a message that requires said human operator to provide information to revise said entry.

However, Guyan teaches making changes the records (sections 0322, 0959, 0973 and 1426).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Schumatcher with the teachings of Guyan, wherein the control unit provided therein (Schumatcher's fig. 15 and fig. 21), would incorporate the use stored events and the event queue waiting for response from the user, in the same conventional manner as discussed by Guyan (sections 1304, fig. 14, sections 0171 and 0242). The motivation being to reduce the

operator responses, eliminate the unnecessary actions and reduce the overhead in servicing response recording in the memory.

Claim 30 is essentially the same as claim 28 except that it is directed to a system rather than a method, and is rejected for the same reason as applied to the claim 28 hereinabove.

Claim 31 is essentially the same as claim 29 except that it is directed to a system rather than a method, and is rejected for the same reason as applied to the claim 29 hereinabove.

Claim 32 is essentially the same as claim 28 except that it is directed to a program rather than a method, and is rejected for the same reason as applied to the claim 28 hereinabove.

Claim 33 is essentially the same as claim 29 except that it is directed to a program rather than a method, and is rejected for the same reason as applied to the claim 29 hereinabove.

Application/Control Number: 09/924,259 Page 17

Art Unit: 2162

## Conclusion

8. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Application/Control Number: 09/924,259 Page 18

Art Unit: 2162

#### Contact Information

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anh Ly whose telephone number is (571) 272-4039 or via E-Mail: ANH.LY@USPTO.GOV or fax to (571) 273-4039 (examiner fax number). The examiner can normally be reached on TUESDAY – THURSDAY from 8:30 AM – 3:30 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Breene, can be reached on (571) 272-4107 or Primary Examiner Jean Corrielus (571) 272-4032.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). Any response to this action should be mailed to: Commissioner of Patents and Trademarks, Washington, D.C. 20231, or faxed to:

Central Fax Center: (571) 273-8300

PRIMARY EXAMINER

ANH LY JAN. 9<sup>th</sup>. 2006